

(00) 340382230000000009





*The Logopak
custom made special
machinery*

**POWER[®]
LEAP III**

(00) 340382230000000009



900 series Logomatic 920 P




Automatic Print & Apply labelling of tarboard rolls

- ▶ Logomatic 920 P special, print width 216 mm
- ▶ Thermal transfer printing, labels PE-material, format A5 — 210x148 mm
- ▶ Jumbo roll labelmaterial for 800 m running length
- ▶ Data communication via Ethernet to host and manual data entry on machine; VGA touch-screen
- ▶ Signal exchange with line controller via potential free contacts
- ▶ Automatic trap door for telescopic applicator
- ▶ Labelling system completely enclosed in steel housing with folding doors and windows
- ▶ Integrated scanner for bar-code verification

(00) 340382230000000009



900 series Logomatic 920 P



Tarboard roll

- ▶ Transport conveyor runs with 10 m/min, gradient 10-15°
- ▶ Batch labeling, intermittent, 11 rolls/min
- ▶ Rolls diameter from 180–300 mm, depending on diameter size the labelling center position will change by max. 30 mm
- ▶ The tarboard rolls are secured by 3 self-adhesive tapes



Applicator-front

Special applicator with:

- ▶ Vacuum plate for A5 label size and telescopic stroke of net 400 mm
- ▶ 6 integrated pre-stretched belts in the vacuum plate will press the label around the slightly curved surface of the rolls, assisted by 2 lateral movable cylinders